

SteelNor Systems

SS1500TL-SSC812L Sealer with Inclined Conveyor



The SS1500TL-SSC812L Sealer and Conveyor finds its self equally at home **Bag Packaging** products from the hardware industry to liquids and sauces, originally designed for use in the textile industry, these machines will literally package everything from soup to nuts. They are perhaps the best solution in replacing **Drop Sealers**.

Machine Features:

- Seals virtually all heat sealable materials.
- Constructed from Stainless Steel and Anodized Aluminum
- Laboratory Quality Temperature Control
- Illuminated On/Off Switch
- Sealed Bearings
- Trim above seal line (maximum trim 3.25")
- Trim scrap blower
- Adjustable Sealing Head Height
- FDA Approved Belting
- Fully Adjustable Support Belt for varying product lengths
- Adjustable Conveyor Angle
- Welded Tubular Steel Frame
- Locking, Swivel Castors
- High quality DC Gearmotor
- Conveyor 8' long x 12" wide

Machine Specifications:

- Speed: Variable to 1100 inches per minute
- Sealing Belts: Low Cost, PTFE/Fiberglass.
- Seal Width: Standard 3/16" (Available from 1/8" to 7/16" at no charge)
- Electrical requirements: 115 Volt, 60Hz, Single Phase

Available Options:

- Dual Heat for heavy gauge bags
- Compression system (to reduce air in bag)
- Chilled Air Cooling for high-speed applications
- Date Coding
- Emergency Stop Button
- Trim Scrap Collection
- Product Counter
- Digital Speed Indicator
- Process Validation
- Left to Right Feed
- 220 – 240 Volt A.C., Single Phase
- Articulated Feet
- Hydro Approval (by Special Inspection)
- Special Modifications to Suit Your Requirements!
- Bag Loader for use with Wicketed Bags
- Conveyor lengths & widths to suit application

Steelnor Systems, 1000 Wye Valley Rd., Midland, Ont., Canada L4R 4K8

V: (705) 527-7887 - F: (705) 527-7817

Web: <http://www.steelnor.com> E-Mail: pack@steelnor.com

* Specifications Subject To Change Without Notice